




# CDK12.5 - OPTICAL TRAIN: for FINGERLAKES PROLINE CAMERA AND FILTERWHEEL

Distance to Focuser Mounting Surface



10.445



Component	Distance	Remaining BF
FLI Proline, CFW5, and MonsterMOAG	10.445	remaining BF
2.75" Focuser (racked in)	3.25	7.195
<b>Focus position (0 to 1.3")</b>	<b>0.467</b>	6.728
SecureFit CCD Spacer - 125357-3	2.5	4.228
Adapter SecureFit to Monster MOAG - 200394	0.55	3.678
Monster MOAG - MMOAG	1.25	2.428
AstroDon Adapter 3" -24 (MMOAG-3-L)	0.75	1.678
FLI CFW5 Filter Wheel	0.848	0.83
FLI Proline Camera Body	0.83	0




Component	Distance	Remaining BF
FLI Proline, CFW5, Monster MOAG, Pyxis	10.445	remaining BF
2.75" Focuser (racked in)	3.25	7.195
<b>Focus position (0 to 1.3")</b>	<b>0.317</b>	6.878
PW 12.5 to Optec-3600 dovetail adapter - 17827	0	6.878
Optec Pyxis 3" Camera Rotator	2.4	4.478
Optec Pyxis 3" to SecureFit Adapter - 17835	0.5	3.978
Adapter SecureFit to Monster MOAG - 200394	0.55	3.428
Monster MOAG - MMOAG	1.25	2.178
AstroDon Adapter to 3"-24 thread, .5" long	0.5	1.678
FLI CFW5 Filter Wheel	0.848	0.83
FLI Proline Camera Body	0.83	0





Component	Distance	Remaining BF
FLI Proline with CFW5/7	10.445	remaining BF
2.75" Focuser (racked in)	3.25	7.195
<b>Focus position (0 to 1.3")</b>	<b>0.467</b>	6.728
SecureFit CCD Spacer - 125357-3	4.8	1.928
SecureFit FLI 3" CCD Adapter - 200395	0.25	1.678
FLI CFW5 Filter Wheel	0.848	0.83
FLI Proline Camera Body	0.83	0

CDK12.5 - OPTICAL TRAIN: for FINGERLAKES PROLINE CAMERA AND CENTERLINE FILTERWHEEL

Distance to Focuser Mounting Surface 10.445





Component	Distance	Remaining BF
FLI Proline, CL1-10, and MonsterMOAG	10.445	remaining BF
2.75" Focuser (racked in)	3.25	7.195
<b>Focus position (0 to 1.3")</b>	<b>0.415</b>	6.78
SecureFit CCD Spacer - 125357-3	2.5	4.28
Adapter SecureFit to Monster MOAG - 200394	0.55	3.73
Monster MOAG - MMOAG	1.25	2.48
AstroDon 3"-24 male thread, 0.4" MMOAG-3-M	0.4	2.08
FLI CL Zero Tilt Adapter to 3"-24 female thread -AD-72	0.15	1.93
FLI CL1-10 Filter Wheel	1.1	0.83
FLI Proline Camera Body	0.83	0




**This configuration does not reach focus without the use of a custom adapter**

Component	Distance	Remaining BF
FLI Proline, CL1-10, Monster MOAG, Pyxis	10.445	remaining BF
2.75" Focuser (racked in)	3.25	7.195
<b>Focus position (0 to 1.3")</b>	<b>0</b>	7.195
PW 12.5 to Optec-3600 dovetail adapter - 17827	0	7.195
Optec Pyxis 3" Camera Rotator	2.4	4.795
Optec Pyxis 3" to SecureFit Adapter - 17835	0.5	4.295
Adapter SecureFit to Monster MOAG - 200394	0.55	3.745
Monster MOAG - MMOAG	1.25	2.495
AstroDon 3"-24 male thread, 0.4" MMOAG-3-M	0.4	2.095
FLI CL Zero Tilt Adapter to 3"-24 female thread -AD-72	0.15	1.945
FLI CL1-10 Filter Wheel	1.1	0.845
FLI Proline Camera Body	0.83	0.015



Component	Distance	Remaining BF
FLI Proline with CL1-10 filter wheel	10.445	remaining BF
2.75" Focuser (racked in)	3.25	7.195
<b>Focus position (0 to 1.3")</b>	<b>0.515</b>	6.68
SecureFit CCD Spacer - 125357-2	3.5	3.18
SecureFit CCD Extender - 200377	0.5	2.68
SecureFit CCD Extender - 200377	0.5	2.18
SecureFit to FLI Centerline CFW - 200395-CL	0.25	1.93
FLI CL1-10 Filter Wheel	1.1	0.83
FLI Proline Camera Body	0.83	0

CDK14 - OPTICAL TRAIN: FINGERLAKES CAMERA'S AND FILTER WHEELS



<b>FLI ProLine Camera Body</b>	11.09	remaining BF
3.5" Focuser - 200340 (racked in)	3	8.09
<b>Focus position (0 to 1.3")</b>	<b>0.7</b>	7.39
3.5" to SecureFit, 4.5" - 200361-3	4.5	2.89
SecureFit 1/2" Extender - 200377	0.5	2.39
SecureFit 1/2" Extender - 200377	0.5	1.89
SecureFit 1/2" Extender - 200377	0.5	1.39
SecureFit to FLI 3" Threads - 200395	0.25	1.14
FLI ProLine Camera	1.14	0

**Using the Rotating Focuser 600180**

<b>FLI ProLine Camera Body</b>	11.09	remaining BF
3.5" Focuser - 600180 (racked in)	3.5	7.59
<b>Focus position (0 to 1.3")</b>	<b>0.7</b>	6.89
3.5" to SecureFit, 4.5" - 200361-3	4.5	2.39
SecureFit 1/2" Extender - 200377	0.5	1.89
SecureFit 1/2" Extender - 200377	0.5	1.39
SecureFit to FLI 3" Threads - 200395	0.25	1.14
FLI ProLine Camera	1.14	0

**FLI ProLine Camera Body and CFWS filter wheel**

<b>FLI ProLine Camera Body and CFWS filter wheel</b>	11.09	remaining BF
3.5" Focuser - 200340 (racked in)	3	8.09
<b>Focus position (0 to 1.3")</b>	<b>0.662</b>	7.428
3.5" to SecureFit, 4.5" - 200361-3	4.5	2.928
SecureFit CCD Extender - 200377	0.5	2.428
SecureFit CCD Extender - 200377	0.5	1.928
SecureFit to FLI 3" Threads - 200395	0.25	1.678
FLI CFWS Filter Wheel	0.848	0.83
FLI ProLine Camera	0.83	0

**Using the Rotating Focuser 600180**

**FLI ProLine Camera Body and CFWS filter wheel**

<b>FLI ProLine Camera Body and CFWS filter wheel</b>	11.09	remaining BF
Rotating Focuser - 600180 (racked in)	3.5	7.59
<b>Focus position (0 to 1.3")</b>	<b>0.662</b>	6.928
3.5" to SecureFit, 4.5" - 200361-3	4.5	2.428
SecureFit CCD Extender - 200377	0.5	1.928
SecureFit to FLI 3" Threads - 200395	0.25	1.678
FLI CFWS Filter Wheel	0.848	0.83
FLI ProLine Camera	0.83	0


**FLI ProLine Camera, CFWS filter wheel & MonsterMOAG**

<b>FLI ProLine Camera, CFWS filter wheel &amp; MonsterMOAG</b>	11.09	remaining BF
3.5" Focuser - 200340 (racked in)	3	8.09
<b>Focus position (0 to 1.3")</b>	<b>0.762</b>	7.328
3.5" to SecureFit, 2.1" - 200361-2	2.1	5.228
SecureFit CCD Extender - 200377	0.5	4.728
SecureFit CCD Extender - 200377	0.5	4.228
Adapter SecureFit to Monster MOAG - 200394	0.55	3.678
Monster MOAG - MMOAG	1.25	2.428
AstroDon Adapter to 3"-24 threads x .75" (MMOAG-3-L)	0.75	1.678
FLI CFWS Filter Wheel	0.848	0.83
FLI ProLine Camera	0.83	0


**Using the Rotating Focuser 600180**

**FLI ProLine Camera, CFWS filter wheel & MonsterMOAG**

<b>FLI ProLine Camera, CFWS filter wheel &amp; MonsterMOAG</b>	11.09	remaining BF
Rotating Focuser - 600180 (racked in)	3.5	7.59
<b>Focus position (0 to 1.3")</b>	<b>0.377</b>	7.213
3.5" to SecureFit, 2.1" - 200361-2	2.1	5.113
SecureFit CCD Extender - 200377	0.5	4.613
Adapter SecureFit to Monster MOAG - 200394	0.55	4.063
Monster MOAG - MMOAG	1.25	2.813
AstroDon Adapter to 3"-24 threads x .75" (MMOAG-3-L)	1.135	1.678
FLI CFWS or 5 Filter Wheel	0.848	0.83
FLI ProLine Camera	0.83	0



CDK14 - OPTICAL TRAIN: FINGERLAKES CAMERA'S AND CENTERLINE FILTER WHEELS



FI ProLine Camera Body and CL1-10 filter wheel		11.09 remaining BF
3.5" Focuser - 200340 (racked in)		3
Focus position (0 to 1.3")	0.41	7.68
3.5" to SecureFit, 4.5" - 200361-3		4.5
SecureFit CCD Extender - 200377		0.5
SecureFit CCD Extender - 200377		0.5
SecureFit to FI Centerline CFW - 200395-CL		0.25
FI CL1-10 Filter Wheel		1.1
FI ProLine Camera		0.83
		0


**Using the Rotating Focuser 600180**

FI ProLine Camera Body and CL1-10 filter wheel		11.09 remaining BF
Rotating Focuser - 600180 (racked in)		3.5
Focus position (0 to 1.3")	0.41	7.18
3.5" to SecureFit, 4.5" - 200361-3		4.5
SecureFit CCD Extender - 200377		0.5
SecureFit CCD Extender - 200377		0.5
SecureFit to FI Centerline CFW - 200395-CL		0.25
FI CL1-10 Filter Wheel		1.1
FI ProLine Camera		0.83
		0


FI ProLine Camera, CL1-10 filter wheel & MonsterMOAG		11.09 remaining BF
3.5" Focuser - 200340 (racked in)		3
Focus position (0 to 1.3")	0.71	7.38
3.5" to SecureFit, 2.1" - 200361-2		2.1
SecureFit CCD Extender - 200377		0.5
SecureFit CCD Extender - 200377		0.5
Adapter SecureFit to Monster MOAG - 200394		0.55
Monster MOAG - MMOAG		1.25
AstroDon 3" -24 male thread, 0.4" - MMOAG-3-M		0.4
FI CL Zero Tilt Adapter to 3" -24 female thread -AD-72		0.15
FI CL1-10 Filter Wheel		1.1
FI ProLine Camera		0.83
		0

**Using the Rotating Focuser 600180**

FI ProLine Camera, CL1-10 filter wheel & MonsterMOAG		11.09 remaining BF
Rotating Focuser - 600180 (racked in)		3.5
Focus position (0 to 1.3")	0.71	6.88
3.5" to SecureFit, 2.1" - 200361-2		2.1
SecureFit CCD Extender - 200377		0.5
Adapter SecureFit to Monster MOAG - 200394		0.55
Monster MOAG - MMOAG		1.25
AstroDon 3" -24 male thread, 0.4" - MMOAG-3-M		0.4
FI CL Zero Tilt Adapter to 3" -24 female thread -AD-72		0.15
FI CL1-10 Filter Wheel		1.1
FI ProLine Camera		0.83
		0



CDK17 - OPTICAL TRAIN: FINGERLAKES CAMERA'S AND FILTER WHEELS



FLI ProLine Camera Body		10.24 remaining BF
3.5" Focuser - 200340 (racked in)	3	7.24
<b>Focus position (0 to 1.3")</b>	<b>0.35</b>	6.89
3.5" to SecureFit, 4.5" - 200361-3	4.5	2.39
SecureFit 1/2" Extender - 200377	0.5	1.89
SecureFit 1/2" Extender - 200377	0.5	1.39
SecureFit to FLI 3" Threads - 200395	0.25	1.14
FLI ProLine Camera	1.14	0



Using the Rotating Focuser 600180		10.24 remaining BF
<b>FLI ProLine Camera Body</b>		
3.5" Focuser - 600180 (racked in)	3.5	6.74
<b>Focus position (0 to 1.3")</b>	<b>0.35</b>	6.39
3.5" to SecureFit, 4.5" - 200361-3	4.5	1.89
SecureFit 1/2" Extender - 200377	0.5	1.39
SecureFit to FLI 3" Threads - 200395	0.25	1.14
FLI ProLine Camera	1.14	0

FLI ProLine Camera Body and CFWS filter wheel		10.24 remaining BF
3.5" Focuser - 200340 (racked in)	3	7.24
<b>Focus position (0 to 1.3")</b>	<b>0.512</b>	6.728
3.5" to SecureFit, 3.8" - 200361-1	3.8	2.928
SecureFit CCD Extender - 200377	0.5	2.428
SecureFit CCD Extender - 200377	0.5	1.928
SecureFit to FLI 3" Threads - 200395	0.25	1.678
FLI CFWS Filter Wheel	0.848	0.83
FLI ProLine Camera	0.83	0


Using the Rotating Focuser 600180		10.24 remaining BF
<b>FLI ProLine Camera Body and CFWS filter wheel</b>		
Rotating Focuser - 600180 (racked in)	3.5	6.74
<b>Focus position (0 to 1.3")</b>	<b>0.512</b>	6.228
3.5" to SecureFit, 3.8" - 200361-1	3.8	2.428
SecureFit CCD Extender - 200377	0.5	1.928
SecureFit to FLI 3" Threads - 200395	0.25	1.678
FLI CFWS Filter Wheel	0.848	0.83
FLI ProLine Camera	0.83	0

FLI ProLine Camera, CFWS filter wheel & MonsterMOAG		10.24 remaining BF
3.5" Focuser - 200340 (racked in)	3	7.24
<b>Focus position (0 to 1.3")</b>	<b>0.527</b>	6.713
3.5" to SecureFit, 2.1" - 200361-2	2.1	4.613
Adapter SecureFit to Monster MOAG - 200394	0.55	4.063
Monster MOAG - MMOAG	1.25	2.813
AstroDon Adapter to FLI thread - 3"-24 (MMOAG -3-LL)	1.135	1.678
FLI CFWS Filter Wheel	0.848	0.83
FLI ProLine Camera	0.83	0

Using the Rotating Focuser 600180		10.24 remaining BF
<b>FLI ProLine Camera, CFWS filter wheel &amp; MonsterMOAG</b>		
Rotating Focuser - 600180 (racked in)	3.5	6.74
<b>Focus position (0 to 1.3")</b>	<b>0.412</b>	6.328
3.5" to SecureFit, 2.1" - 200361-2	2.1	4.228
Adapter SecureFit to Monster MOAG - 200394	0.55	3.678
Monster MOAG - MMOAG	1.25	2.428
AstroDon Adapter to 3"-24 threads x .75" (MMOAG-3-L)	0.75	1.678
FLI CFWS or 5 Filter Wheel	0.848	0.83
FLI ProLine Camera	0.83	0



CDK17 - OPTICAL TRAIN: FINGERLAKES CAMERA'S AND CENTERLINE FILTER WHEELS



FLI ProLine Camera Body and CL1-10 filter wheel	10.24	remaining BF
3.5" Focuser - 200340 (racked in)	3	7.24
<b>Focus position (0 to 1.3")</b>	<b>0.76</b>	6.48
3.5" to SecureFit, 3.8" - 200361-1	3.8	2.68
SecureFit CCD Extender - 200377	0.5	2.18
SecureFit to FLI Centerline CFW - 200395-CL	0.25	1.93
FLI CL1-10 Filter Wheel	1.1	0.83
FLI ProLine Camera	0.83	0



**Using the Rotating Focuser 600180**

FLI ProLine Camera Body and CL1-10 filter wheel	10.24	remaining BF
Rotating Focuser - 600180 (racked in)	3.5	6.74
<b>Focus position (0 to 1.3")</b>	<b>0.26</b>	6.48
3.5" to SecureFit, 3.8" - 200361-1	3.8	2.68
SecureFit CCD Extender - 200377	0.5	2.18
SecureFit to FLI Centerline CFW - 200395-CL	0.25	1.93
FLI CL1-10 Filter Wheel	1.1	0.83
FLI ProLine Camera	0.83	0


FLI ProLine Camera, CL1-10 filter wheel & MonsterMOAG	10.24	remaining BF
3.5" Focuser - 200340 (racked in)	3	7.24
<b>Focus position (0 to 1.3")</b>	<b>0.36</b>	6.88
3.5" to SecureFit, 2.1" - 200361-2	2.1	4.78
SecureFit Extender .5" - 200377	0.5	4.28
Adapter SecureFit to Monster MOAG - 200394	0.55	3.73
Monster MOAG - MMOAG	1.25	2.48
AstroDon 3"-24 male thread, 0.4" - MMOAG-3-M	0.4	2.08
FLI CL Zero Tilt Adapter to 3"-24 female thread - AD-72	0.15	1.93
FLI CL1-10 Filter Wheel	1.1	0.83
FLI ProLine Camera	0.83	0

**Using the Rotating Focuser 600180**

FLI ProLine Camera, CL1-10 filter wheel & MonsterMOAG	10.24	remaining BF
Rotating Focuser - 600180 (racked in)	3.5	6.74
<b>Focus position (0 to 1.3")</b>	<b>0.36</b>	6.38
3.5" to SecureFit, 2.1" - 200361-2	2.1	4.28
Adapter SecureFit to Monster MOAG - 200394	0.55	3.73
Monster MOAG - MMOAG	1.25	2.48
AstroDon 3"-24 male thread, 0.4" (MMOAG-3-M)	0.4	2.08
FLI CL Zero Tilt Adapter to 3"-24 female thread - AD-72	0.15	1.93
FLI CL1-10 Filter Wheel	1.1	0.83
FLI ProLine Camera	0.83	0



CDK20 and 24 - OPTICAL TRAIN: FINGERLAKES CAMERA'S AND FILTER WHEELS



FLI ProLine Camera Body	8.81	remaining BF
3.5" Focuser (racked in)	3	5.81
Focus position (0 to 1.3")	0.62	5.19
3.5" to SecureFit, 3.8" - 200361-1	3.8	1.39
SecureFit to FLI 3" Threads - 200395	0.25	1.14
FLI ProLine Camera	1.14	0

**Using the Rotating Focuser 600180**

FLI ProLine Camera Body	8.81	remaining BF
3.5" Focuser (racked in)	0.82	7.99
Focus position (0 to 1.3")	0	7.99
3.5" to SecureFit, 2.1" - 200361-2	2.1	5.89
SecureFit 1/2" Extender - 200377	0.5	5.39
SecureFit 1/2" Extender - 200377	0.5	4.89
SecureFit to FLI 3" Threads - 200395	0.25	4.64
FLI ProLine Camera	1.14	3.5

FLI ProLine Camera Body and CFW5 filter wheel	8.81	remaining BF
3.5" Focuser (racked in)	3	5.81
Focus position (0 to 1.3")	0.882	4.928
3.5" to SecureFit, 2.1" - 200361-2	2.5	2.428
SecureFit CCD Extender - 200377	0.5	1.928
SecureFit to FLI 3" Threads - 200395	0.25	1.678
FLI CFW5 Filter Wheel	0.848	0.83
FLI ProLine Camera	0.83	0

**Using the Rotating Focuser 600180**




FLI ProLine Camera Body and CFW5 filter wheel	8.81	remaining BF
Rotating Focuser (racked in)	3.5	5.31
Focus position (0 to 1.3")	0.382	4.928
3.5" to SecureFit, 2.1" - 200361-2	2.5	2.428
SecureFit CCD Extender - 200377	0.5	1.928
SecureFit to FLI 3" Threads - 200395	0.25	1.678
FLI CFW5 Filter Wheel	0.848	0.83
FLI ProLine Camera	0.83	0

FLI ProLine Camera, CFW5 filter wheel & MonsterMOAG	8.81	remaining BF
3.5" Focuser (racked in)	3	5.81
Focus position (0 to 1.3")	0.582	5.228
Low Profile SecureFit Spacer - 600327 and 600328	0.5	4.728
SecureFit CCD Extender - 200377	0.5	4.228
Adapter SecureFit to Monster MOAG - 200394	0.55	3.678
Monster MOAG - MMOAG	1.25	2.428
AstroDon Adapter to 3"-24 threads x .75" (MMOAG-3-L)	0.75	1.678
FLI CFW5 Filter Wheel	0.848	0.83
FLI ProLine Camera	0.83	0


FLI ProLine Camera, CFW4 filter wheel & MonsterMOAG	8.81	remaining BF
3.5" Focuser (racked in)	3	5.81
Focus position (0 to 1.3")	0.395	5.415
Low Profile SecureFit Spacer - 600327 and 600328	0.5	4.915
SecureFit CCD Extender - 200377	0.5	4.415
Adapter SecureFit to Monster MOAG - 200394	0.55	3.865
Monster MOAG - MMOAG	1.25	2.615
AstroDon Adapter to 3"-24 threads x .75" (MMOAG-3-LL)	1	1.615
FLI CFW4 Filter Wheel	0.785	0.83
FLI ProLine Camera	0.83	0

**Using the Rotating Focuser 600180**

FLI ProLine Camera, CFW5 filter wheel & MonsterMOAG	8.81	remaining BF
Rotating Focuser (racked in)	3.5	5.31
Focus position (0 to 1.3")	0.582	4.728
Low Profile SecureFit Spacer - 600327 and 600328	0.5	4.228
Adapter SecureFit to Monster MOAG - 200394	0.55	3.678
Monster MOAG - MMOAG	1.25	2.428
AstroDon Adapter to 3"-24 threads x .75" (MMOAG-3-L)	0.75	1.678
FLI CFW3 or 5 Filter Wheel	0.848	0.83
FLI ProLine Camera	0.83	0



CDK20 and 24 - OPTICAL TRAIN: FINGERLAKES CAMERA'S AND CENTERLINE FILTER WHEELS



FLI ProLine Camera Body and CL1-10 filter wheel		8.81 remaining BF
3.5" Focuser (racked in) -200340	3	5.81
<b>Focus position (0 to 1.3")</b>	<b>0.53</b>	5.28
3.5" to SecureFit, 2.1" - 200361-2	2.1	3.18
SecureFit CCD Extender - 200377	0.5	2.68
SecureFit CCD Extender - 200377	0.5	2.18
SecureFit to FLI Centerline CFW - 200395-CL	0.25	1.93
FLI CL1-10 Filter Wheel	1.1	0.83
FLI ProLine Camera	0.83	0

Using the Rotating Focuser 600180		8.81 remaining BF
FLI ProLine Camera Body and CL1-10 filter wheel	8.81 remaining BF	
Rotating Focuser (racked in) -600180	3.5	5.31
<b>Focus position (0 to 1.3")</b>	<b>0.53</b>	4.78
3.5" to SecureFit, 2.1" - 200361-2	2.1	2.68
SecureFit CCD Extender - 200377	0.5	2.18
SecureFit to FLI Centerline CFW - 200395-CL	0.25	1.93
FLI CL1-10 Filter Wheel	1.1	0.83
FLI ProLine Camera	0.83	0

FLI ProLine Camera, CL1-10 filter wheel & MonsterMOAG		8.81 remaining BF
3.5" Focuser (racked in)	3	5.81
<b>Focus position (0 to 1.3")</b>	<b>0.63</b>	4.98
Low Profile SecureFit Spacer - 600327 and 600328	0.5	4.48
SecureFit CCD Extender - 200377	0.5	3.98
Adapter SecureFit to Monster MOAG - 200394	0.55	3.43
Monster MOAG - MMOAG	1.25	2.18
AstroDon 3"-24 male thread, 0.4" -MMOAG-3-M	0.4	1.78
FLI CL Zero Tilt Adapter to 3"-24 female thread -AD-72	0.15	1.63
FLI CL1-10 Filter Wheel	1.1	0.53
FLI ProLine Camera	0.83	0

Using the Rotating Focuser 600180		8.81 remaining BF
FLI ProLine Camera, CL1-10 filter wheel & MonsterMOAG	8.81 remaining BF	
Rotating Focuser - 600180 (racked in)	3.5	5.31
<b>Focus position (0 to 1.3")</b>	<b>0.53</b>	4.78
Low Profile SecureFit Spacer - 600327 and 600328	0.5	4.28
Adapter SecureFit to Monster MOAG - 200394	0.55	3.73
Monster MOAG - MMOAG	1.25	2.48
AstroDon 3"-24 male thread, 0.4" -MMOAG-3-M	0.4	2.08
FLI CL Zero Tilt Adapter to 3"-24 female thread -AD-72	0.15	1.93
FLI CL1-10 Filter Wheel	1.1	0.83
FLI ProLine Camera	0.83	0

