



REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED



R25.62 MAXIMUM SWING THROUGH DISTANCE FROM ALT-DEC AXIS



ALTITUDE/DECLINATION AXIS HAS 2 SETTINGS FOR THE END OF TRAVEL SPRING STOPS. 0 DEGREES FOR ALT/AZ CONFIGURATION AND -45 DEGREES FOR EQUATORIAL. UPPER LIMIT IS FIXED AT 95 DEGREES

UNLESS OTHERWISE SPECIFIED TOLERANCES		NAME	DATE	PlaneWave Instruments TITLE L500 MOUNT SWING THROUGH CLEARANCE	
DECIMAL DIM	ANGULAR DIM	DRAWN	DAP		2/9/2022
XXXX ± 0.005	MACHINED ±0° 30'	CHECKED			
XXX ± 0.05	LOCATING ±0° 30'	ENG APPR.			
XX ± 0.2	FORMED ±1°	MATERIAL			
SURFACE FINISH		FINISH			
MAX R 0.015		SCALE: 1:10			
BREAK: ALL SHARP EDGES & REMOVE BURRS.		DWG. NO.			
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PLANEWAVE INSTRUMENTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PLANEWAVE INSTRUMENTS IS PROHIBITED.		L5007010		REV. A	
CAD FILE: L5007010 (L500 MOUNT SWING THROUGH) SHEET 1 OF 1					